Telescopic, Swivel & Tilt
LCD Ceiling Mount

Safety & assembly instructions



35
model

⚠CAUTION - This LCD mount is intended for use only with the maximum weights indicated. Use with products heavier than the maximum weights indicated may result in instability causing possible injury.

Barkan *A better point of view*
Mounting systems

Up to: **66 lbs**
30 kg

110035.3 15.06.08

1:1

A



x1

B1



x1

B2

x1

Please make sure that package contains all parts



C

x4

D

x1

E

x1

F

x1

O

x2

P

x2

1:2

G

x1

H

x1

J

x1

Q

x2

1:1

R

x2

S

x1

T

x3

U

x3

V



x1

W



x2

X

x2

Y

x1

Z

x2

AA

x1

AB

x1

K

x4

AC

x3

AD



x1

AE

x2

AF

x3

L

x4

N



x4

I

x4

M

The provided M bolts may change in size according to the evolution of screen market requirements

Assembly instructions

LCD Connection

Fits LCD VESA mounting holes: 75X75, 100X100, Up to 400X400, Up to 600X400











75X75 A

100X100 B

Up to 400X400
(Including the popular: 300X300; 200X400; 200X100; 200X200 and more) C

Up to 600X400 with


C

100X200 D

200X200 without blocking cable area E

A 75X75mm Assembly of plate to screen



Back to main assembly instructions

B 100X100mm Assembly of plate to screen



Back to main assembly instructions

110805.3 15.04.09

C

Up to 400X400, 600X400mm Assembly of adaptors to plate



Assembly hardware to screen



Butterfly wings assembly to mount **(for models: 33, 34, 35 only)**.



Back to main assembly instructions

D

100x200mm Assembly adaptor to plate



Assembly hardware to screen



Back to main assembly instructions

E

200X200mm without blocking cable area Assebmly adaptor to plate



Assembly hardware to screen



Back to main assembly instructions

1 Back of screen



Assembly to screen





2 Note the ceiling plate direction



3

Concrete, concrete hollow blocks or heavy solid bricks ceiling



Wood joist ceiling

3A



3B Find studs & mark



Level & mark



Drill 5/32” (4mm)



First drill 1/4” (6mm)



Assembly to wood joist ceiling



Second drill 3/8” (10mm)



4A

5


4A
Insert anchors
Plaster coating
Anchor passed the plaster coating
AC


Assembly to ceiling
AF
Force


5
Friction pads assembly
R
R
J


Force
H
AD
AB
1
2
3
4


F
Y
9/16" (14mm)
1
2
Q
3
Force


Arm length adjustment
1
F
X
X
3
W
2
W
Force
E


Assembly of arm
A
Q
S
3
9/16" (14mm)
V
1
4
Force
2
E
6

6 TEST!

7 Covers assembly



QUICK CONNECT





FALL & THEFT PROOF
Secure locking system, preventing theft and accidents

Tilt strength adjustment



FRICTION ADJUSTMENT
One handed tighten or release tilt resistance mechanism

Cables assembly and routing



CABLE MANAGEMENT
Hides cables inside the mount for a clean, wire-free look

Angles adjustment by hand



TOUCH & TILT
Tools-free titlt adjustment, enabled by automotive friction-pads

A built-in mechanism to adjust the screen

7 DIS CONNECT



Dear Customer, We welcome your comments and suggestions on improving our products, and/or assembly and instructions. Please contact us through our website: **www.barkanmounts.com**